

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

Dual component hybrid resin (styrene free) for heavy duty fixings

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 1 / 17 - Comp. A

Replaced revision: -  
(Revision date: -)



## 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

DGE04, Comp. A  
UFI: YY10-K0HD-300C-VWAW

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Intended use

Bi-component injection system for chemical anchor on construction materials.

### 1.3. Details of the supplier of the safety data sheet

Company name	Tecfi S.p.A.
Address	S.S.Appia km 193 81050 Pastorano (CE) - Italia - tel. 0823 88 3338 - fax 0823 - 883260
e-mail	rdc@tecfi.it

### 1.4. Emergency telephone number

Osp. NIGUARDA CA' GRANDA - Milano 02/66101029  
CAV Policlinico "A. Gemelli" - Roma 06/3054343  
Osp. "A. Cardarelli" - Napoli 081/7472870

## 2: Hazards identification

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

#### Hazard classification and indication:

Eye irritation, category 2	H319	Causes serious eye irritation.
Skin irritation, category 2	H315	Causes skin irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity, category 3	H412	Harmful to aquatic life with long lasting effects.

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

Dual component hybrid resin (styrene free) for heavy duty fixings

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 2 / 17 - Comp. A

Replaced revision: -  
(Revision date: -)



## 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms (CLP)

Signal word (CLP): Warning



Hazard statements (CLP)

H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP)

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	IF ON SKIN: wash with plenty of water / . . .
P333+P313	If skin irritation or rash occurs: Get medical advice / attention.
P501	Dispose of contents/container in accordance with national regulations.

Contains:	2-Hydroxyethyl methacrylate Ethylene dimethacrylate Methacrylic acid, monoester with propane 1,2 - diol
-----------	---

## 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.  
The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## 3: Composizione/informazioni sugli ingredienti

### 3.2. Mixtures

Identification	x=Conc. %	Classification (EC) 1272/2008 (CLP)
<b>2-Hydroxyethyl methacrylate</b> INDEX 607-124-00-X EC 212-782-2 CAS 868-77-9 REACH Reg. 01-2119490169-29	$10 \leq x < 17$	Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Classification note according to Annex VI to the CLP Regulation: D
<b>Viniltoluene</b> INDEX - EC 246-562-2 CAS 25013-15-4 REACH Reg. 01-2119622074-50	$5 \leq x < 9$	Flam. Liq. 3 H226, Acute Tox. 4 H332, Asp. Tox. 1 H304, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411 STA Inhalation vapours: 11 mg/l

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 3 / 17 - Comp. A

Replaced revision: -  
(Revision date: -)



### 3: Composition/information on ingredients

Identification	x=Conc. %	Classification (EC) 1272/2008 (CLP)
<b>Ethylene dimethacrylate</b> INDEX 607-114-00-5 EC 202-617-2 CAS 97-90-5 REACH Reg. 01-2119965172-38	$5 \leq x < 9$	STOT SE 3 H335, Skin Sens. 1 H317, Aquatic Chronic 3 H412, Classification note according to Annex VI to the CLP Regulation: D STOT SE 3 H335: $\geq 10\%$
<b>Methacrylic acid, monoester with propane 1,2 - diol</b> INDEX - EC 248-666-3 CAS 27813-02-1 REACH Reg. 01-2119490226-37	$1 \leq x < 5$	Eye Irrit. 2 H319, Skin Sens. 1 H317
<b>1,1' - (p-tolylimino) dipropan-2-ol</b> INDEX - EC 254-075-1 CAS 38668-48-3 REACH Reg. 01-2119980937-17	$0 \leq x < 1$	Acute Tox. 2 H300, Eye Irrit. 2 H319, Aquatic Chronic 3 H412 LD50 Oral: $>25$ mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Quartz (SiO<sub>2</sub>) - CAS 14808-60-7 - C%:  $\geq 50$  -  $< 80$ :

The quartz contained in the product is classified as non-hazardous. Furthermore, being linked to the other liquid / pasty components of the mixture, it is not freely available during use. The final product has a pasty consistency and the limits of exposure to inhalable dusts are not relevant.

### 4: First aid measures

#### 4.1. Description of first aid measures

**EYES:** Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

**SKIN:** Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

**INGESTION:** Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

**INHALATION:** Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 4 / 17 - Comp. A

Replaced revision: -  
(Revision date: -)



## 5: Firefighting measures

### 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

#### UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

### 5.2. Special hazards arising from the substance or mixture

#### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 5 / 17 - Comp. A

Replaced revision: -  
(Revision date: -)



## 7: Handling and storage

### 7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details. Store in a well ventilated place, storage range temperature between 5°C and 30°C. Keeping the containers closed when not used. Do not smoke while handling. Keep far away from sources of heat, naked flames and sparks and other sources of ignition. Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity.

### 7.3. Specific end use(s)

Information not available

## 8: Exposure controls/personal protection

### 8.1. Control parameters

Regulatory references:

TLV-ACGIH ACGIH 2022

## 2-Hydroxyethyl methacrylate

### Predicted no-effect concentration - PNEC

Normal value in fresh water	0,482	mg/l
Normal value in marine water	0,482	mg/l
Normal value for fresh water sediment	3,79	mg/kg/d
Normal value for marine water sediment	3,79	mg/kg/d
Normal value for water, intermittent release	1	mg/l
Normal value of STP microorganisms	10	mg/l
Normal value for the terrestrial compartment	0,476	mg/kg/d

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

Dual component hybrid resin (styrene free) for heavy duty fixings

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 6 / 17 - Comp. A

Replaced revision: -  
(Revision date: -)



### Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,83 mg/kg bw/d				
Inhalation				2,9 mg/m3				4,9 mg/m3
Skin				0,83 mg/kg/d				1,3 mg/kg bw/d

### Vinyltoluene

#### Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations		
		mg/m3	ppm	mg/m3	ppm			
TLV-ACGIH			50		100			

### Ethylene dimethacrylate

#### Predicted no-effect concentration - PNEC

Normal value in fresh water	0,139	mg/l
Normal value in marine water	0,014	mg/l
Normal value for fresh water sediment	1,6	mg/kg/d
Normal value for marine water sediment	0,16	mg/kg/d
Normal value for water, intermittent release	0,15	mg/l
Normal value of STP microorganisms	57	mg/l
Normal value for the terrestrial compartment	0,239	mg/kg/d

### Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,83 mg/kg bw/d				
Inhalation				1,45 mg/m3				2,45 mg/m3
Skin				0,83 mg/kg/d				1,3 mg/kg bw/d

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

### DGE04

Dual component hybrid resin (styrene free) for heavy duty fixings

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 7 / 17 - Comp. A

Replaced revision: -  
(Revision date: -)



## Methacrylic acid, monoester with propane 1,2 - diol

### Predicted no-effect concentration - PNEC

Normal value in fresh water	0,9	mg/l
Normal value in marine water	0,9	mg/l
Normal value for fresh water sediment	6,28	mg/kg/d
Normal value for marine water sediment	6,28	mg/kg/d
Normal value for water, intermittent release	0,97	mg/l
Normal value of STP microorganisms	10	mg/l
Normal value for the terrestrial compartment	0,72	mg/kg/d

### Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				2,5 mg/kg bw/d				
Inhalation				8,8 mg/m3				14,7 mg/m3
Skin				2,5 mg/kg/d				4,2 mg/kg bw/d

## 1,1' - (p-tolylimino) dipropan-2-ol

### Predicted no-effect concentration - PNEC

Normal value in fresh water	0,017	mg/l
Normal value in marine water	0,0017	mg/l
Normal value for fresh water sediment	0,163	mg/kg/d
Normal value for marine water sediment	0,0163	mg/kg/d
Normal value for water, intermittent release	0,17	mg/l
Normal value of STP microorganisms	0,199	mg/l
Normal value for the terrestrial compartment	0,0226	mg/kg/d

### Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				2,5 mg/kg bw/d				
Inhalation								2,47mg/m3
Skin								0,7 mg/kg bw/d

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 8 / 17 - Comp. A

Replaced revision: -  
(Revision date: -)



Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

Quartz (SiO<sub>2</sub>):

The quartz contained in the product is classified as non-hazardous. Furthermore, being linked to the other liquid / pasty components of the mixture, it is not freely available during use. The final product has a pasty consistency and the limits of exposure to inhalable dusts are not relevant.

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.



## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 9 / 17 - Comp. A

Replaced revision: -  
(Revision date: -)



## 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	Solid Pasty	
Colour	cream	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	not available	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	not available	Reason for missing data: substance/mixture is non-soluble (in water)
Kinematic viscosity	not available	
Solubility	insoluble in water	Reason for missing data: substance/mixture is non-soluble (in water)
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	1,6 - 1,8 kg/l	
Relative vapour density	not available	
Particle characteristics	not available	

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Information not available

#### 9.2.2. Other safety characteristics

Information not available

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 10 /17 - Comp. A

Replaced revision: -  
(Revision date: -)



## 10: Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage. To avoid the exposure on the sunlight.

### 10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

### 10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

### 10.5. Incompatible materials

Information not available

### 10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

## 11: Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

#### ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l

ATE (Oral) of the mixture: > 2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 11 /17 - Comp. A

Replaced revision: -  
(Revision date: -)



#### 2-Hydroxyethyl methacrylate

LD50 (Dermal): > 5000 mg/kg RBT  
LD50 (Oral): 5564 mg/kg RAT

#### Vinyltoluene

LD50 (Dermal): > 4990 mg/kg RBT  
LD50 (Oral): 3680 mg/kg RAT  
LC50 (Inhalation vapours): 3535 ppm/4h RAT  
STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP  
(figure used for calculation of the acute toxicity estimate of the mixture)

#### Ethylene dimethacrylate

LD50 (Dermal): > 2000 mg/kg RAT  
LD50 (Oral): > 8700 mg/kg RAT

#### Methacrylic acid, monoester with propane 1,2 - diol

LD50 (Dermal): > 5000 mg/kg RBT  
LD50 (Oral): > 2000 mg/kg RAT

#### 1,1'- (p-tolylimino) dipropan-2-olo

LD50 (Dermal): > 2000 mg/kg RAT  
LD50 (Oral): > 25 mg/kg RAT

#### SKIN CORROSION / IRRITATION

Causes skin irritation

#### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

#### RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - [rdc@tecfi.it](mailto:rdc@tecfi.it)

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 12 /17 - Comp. A

Replaced revision: -  
(Revision date: -)



## 12: Ecological information

**This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.**

### 12.1. Toxicity

2-Hydroxyethyl methacrylate  
LC50 - for Fish > 100 mg/l/96h (OECD TG 203)  
EC50 - for Crustacea > 380 mg/l/48h  
EC50 - for Algae / Aquatic Plants 836 mg/l/72h  
Chronic NOEC for Fish < 100 mg/l (OECD TG 211)  
Chronic NOEC for Crustacea 24,1 mg/l  
Chronic NOEC for Algae / Aquatic Plants 400 mg/l 72 h

Ethylene dimethacrylate  
LC50 - for Fish > 15,95 mg/l/96h  
EC50 - for Crustacea > 44,9 mg/l/48h  
EC50 - for Algae / Aquatic Plants > 17,3 mg/l/72h  
Chronic NOEC for Crustacea > 7,22 mg/l  
Chronic NOEC for Algae / Aquatic Plants > 6,93 mg/l

Methacrylic acid, monoester with propane  
1,2 - diol  
LC50 - for Fish > 493 mg/l/96h  
EC50 - for Crustacea > 143 mg/l/48h  
EC50 - for Algae / Aquatic Plants > 97,2 mg/l/72h  
Chronic NOEC for Crustacea > 45,2 mg/l

1,1'- (p-tolyimino) dipropan-2-ol  
LC50 - for Fish > 17 mg/l/96h  
EC50 - for Crustacea > 28 mg/l/48h  
EC50 - for Algae / Aquatic Plants > 245 mg/l/72h  
EC10 for Algae / Aquatic Plants > 57,8 mg/l/72h

Vinyltoluene  
LC50 - for Fish 5,2 mg/l/96h  
EC50 - for Crustacea 9,3 mg/l/48h  
EC50 - for Algae / Aquatic Plants 0,319 mg/l/72h  
EC10 for Algae / Aquatic Plants 0,25 mg/l/72h

### 12.2. Persistence and degradability

2-Hydroxyethyl methacrylate  
Rapidly degradable  
Readily biodegradable in water. Ethylene dimethacrylate

Rapidly degradable Methacrylic acid, monoester with propane  
1,2 - diol  
Rapidly degradable 1,1'- (p-tolyimino) dipropan-2-ol

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 13 /17 - Comp. A

Replaced revision: -  
(Revision date: -)



Entirely degradable

Vinyltoluene

NOT rapidly degradable

#### 12.3. Bioaccumulative potential

2-Hydroxyethyl methacrylate

Partition coefficient: n-octanol/water

0,42 Log Kow

Ethylene dimethacrylate

Partition coefficient: n-octanol/water

2,4 Log Kow

1,1'- (p-tolylimino) dipropan-2-ol

Partition coefficient: n-octanol/water

2,1 Log Kow

Vinyltoluene

Partition coefficient: n-octanol/water

3,44 Log Kow

#### 12.4. Mobility in soil

1,1'- (p-tolylimino) dipropan-2-ol

Partition coefficient: soil/water

60 l/kg

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

### 13: Disposal considerations

Non-hardened material (such as expired or damaged products and/or rejects): e.g.

08 04 09\* Glue and sealing materials waste containing organic solvents or other dangerous substances

Hardened material, e.g.:

08 04 10 Glue and sealing materials waste or other dangerous substances, other than classified under 08 04 09.

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

15 01 10\* Packaging containing residues of or contaminated by dangerous substances

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 14 /17 - Comp. A

Replaced revision: -  
(Revision date: -)



### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## 14: Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1. UN number or ID number

not applicable

### 14.2. UN proper shipping name

not applicable

### 14.3. Transport hazard class(es)

not applicable

### 14.4. Packing group

not applicable

### 14.5. Environmental hazards

not applicable

### 14.6. Special precautions for user

not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 15 /17 - Comp. A

Replaced revision: -  
(Revision date: -)



## 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## 16: Other information

**Text of hazard (H) indications mentioned in section 2-3 of the sheet:**

Flam. Liq. 3	Flammable liquid, category 3
Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 4	Acute toxicity, category 4
Asp. Tox. 1	Aspiration hazard, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H226	Flammable liquid and vapour.
H300	Fatal if swallowed.
H332	Harmful if inhaled.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - [rdc@tecfi.it](mailto:rdc@tecfi.it)

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 16 /17 - Comp. A

Replaced revision: -  
(Revision date: -)



#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).



## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. A

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 17 / 17 - Comp. A

Replaced revision: -  
(Revision date: -)



## GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

## Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

## CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

Dual component hybrid resin (styrene free) for heavy duty fixings

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 1 / 14 - Comp. B

Replaced revision: -  
(Revision date: -)



## 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

DGE04, Comp. B  
UFI: 1300-F0AN-C00G-ADHG

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Intended use

Bi-component injection system for chemical anchor on construction materials.

### 1.3. Details of the supplier of the safety data sheet

Company name	Tecfi S.p.A.
Address	S.S.Appia km 193 81050 Pastorano (CE) - Italia - tel. 0823 88 3338 - fax 0823 - 883260
e-mail	rdc@tecfi.it

### 1.4. Emergency telephone number

Osp. NIGUARDA CA' GRANDA - Milano 02/66101029  
CAV Policlinico "A. Gemelli" - Roma 06/3054343  
Osp. "A. Cardarelli" - Napoli 081/7472870

## 2: Hazards identification

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

#### Hazard classification and indication:

Eye irritation, category 2	H319	Causes serious eye irritation
Skin sensitization, category 1A	H317	May cause an allergic skin reaction.

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 2 / 14 - Comp. B

Replaced revision: -  
(Revision date: -)



## 2.2: Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

<b>H319</b>	Causes serious eye irritation.
<b>H317</b>	May cause an allergic skin reaction.

Precautionary statements:

<b>P101</b>	If medical advice is needed, have product container or label at hand.
<b>P102</b>	Keep out of reach of children.
<b>P280</b>	Wear protective gloves / eye protection / face protection.
<b>P302+P352</b>	IF ON SKIN: wash with plenty of water / . . .
<b>P333+P313</b>	If skin irritation or rash occurs: Get medical advice / attention.
<b>P501</b>	Dispose of contents/container in accordance with national regulations.

Contains:	Dibenzoyl peroxide
-----------	--------------------

## 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.  
The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## 3: Composition/information on ingredients

### 3.2. Mixtures

Identification	x=Conc. %	Classification (EC) 1272/2008 (CLP)
<b>Dibenzoyl peroxide</b> CAS 94-36-0 EC 202-327-6 INDEX 617-008-00-0 REACH Reg. 01-2119511472-50	$10 \leq x < 17$	Org. Perox B H241, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=10

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Quartz (SiO<sub>2</sub>) - CAS 14808-60-7 - C%:  $\geq 50$  -  $< 80$ :

The quartz contained in the product is classified as non-hazardous. Furthermore, being linked to the other liquid / pasty components of the mixture, it is not freely available during use. The final product has a pasty consistency and the limits of exposure to inhalable dusts are not relevant.

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 3 /14 - Comp. B

Replaced revision: -  
(Revision date: -)



## 4: First aid measures

### 4.1. Description of first aid measures

**EYES:** Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

**SKIN:** Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

**INHALATION:** Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

**INGESTION:** Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## 5: Firefighting measures

### 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

#### UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

### 5.2. Special hazards arising from the substance or mixture

#### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 4 / 14 - Comp. B

Replaced revision: -  
(Revision date: -)



## 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## 7: Handling and storage

### 7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

Store in a well ventilated place, storage range temperature between 5°C and 30°C. Keeping the containers closed when not used. Do not smoke while handling. Keep far away from sources of heat, naked flames and sparks and other sources of ignition. Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity.

### 7.3. Specific end use(s)

Information not available

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

Dual component hybrid resin (styrene free) for heavy duty fixings

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 5 / 14 - Comp. B

Replaced revision: -  
(Revision date: -)



## 8: Exposure controls/personal protection

### 8.1. Control parameters

Regulatory References:

TLV-ACGIH ACGIH 2021

## Dibenzoyl peroxide

### Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations		
		mg/m3	ppm	mg/m3	ppm			
TLV-ACGIH		5						

### Predicted no-effect concentration - PNEC

Normal value in fresh water	0,00002	mg/l
Normal value in marine water	0,000002	mg/l
Normal value for fresh water sediment	0,0127	mg/kg/d
Normal value for marine water sediment	0,00127	mg/kg/d
Normal value for water, intermittent release	0,000602	mg/l
Normal value of STP microorganisms	0,35	mg/l
Normal value for the terrestrial compartment	0,0025	mg/kg/d

### Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				2 mg/kg bw/d				
Inhalation								39 mg/m3
Skin								13,3 mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

Quartz (SiO<sub>2</sub>):

The quartz contained in the product is classified as non-hazardous. Furthermore, being linked to the other liquid / pasty components of the mixture, it is not freely available during use. The final product has a pasty consistency and the limits of exposure to inhalable dusts are not relevant.

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 6 / 14 - Comp. B

Replaced revision: -  
(Revision date: -)



## 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 7 / 14 - Comp. B

Replaced revision: -  
(Revision date: -)



## 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	Solid Pasty	
Colour	black	
Odour	characteristic	
Melting point / freezing point	Not available	
Initial boiling point	Not available	
Flammability	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Flash point	Not available	
Auto-ignition temperature	Not available	
pH	Not available	Reason for missing data: substance/mixture is non-soluble (in water)
Kinematic viscosity	Not available	
Solubility	Not available	
Partition coefficient: n-octanol/water	Not available	
Vapour pressure	Not available	
Density and/or relative density	1,50 - 1,70 kg/l	
Relative vapour density	Not available	
Particle characteristics	Not available	

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Information not available

#### 9.2.2. Other safety characteristics

active oxygen (%) < 1



## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 8 /14 - Comp. B

Replaced revision: -  
(Revision date: -)



## 10: Stability and reactivity

### 10.1. Reactivity

Information not available

### 10.2. Chemical stability

The product is stable if stored in original containers at temperatures lower than the self accelerated decomposition temperature (SADT). To avoid the exposure on the sunlight.

### 10.3. Possibility of hazardous reactions

Information not available

### 10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition. Avoid transferring into containers that may have been contaminated with other substances. Avoid storing close to inflammable or combustible products.

### 10.5. Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to the formation of explosive peroxides or other potentially hazardous substances.

## 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

#### ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: Not classified (no significant component)

ATE (Dermal) of the mixture: Not classified (no significant component)

Dibenzoyl peroxide

LD50 (Oral): > 2000 mg/kg RAT

LC50 (Inhalation mists/powders): > 24,3 mg/l/4h RAT

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 9 / 14 - Comp. B

Replaced revision: -  
(Revision date: -)



#### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

#### RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

#### RESPIRATORY SENSITIZATION

Information not available

Skin sensitization

Information not available

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 10 /14 - Comp. B

Replaced revision: -  
(Revision date: -)



## 12: Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

### 12.1. Toxicity

Dibenzoyl peroxide	
LC50 - for Fish	> 0,0602 mg/l/96h (OECD TG 203)
EC50 - for Crustacea	> 0,11 mg/l/48h (OECD TG 202)
EC50 - for Algae / Aquatic Plants	> 0,0711 mg/l/72h (OECD TG 201)
EC10 for Crustacea	> 0,001 mg/l/28d (OECD TG 211)
Chronic NOEC for Fish	> 0,0316 mg/l 96 h
Chronic NOEC for Algae / Aquatic Plants	> 0,02 mg/l 72 h

mixture/product

LC50 - Fish	> 100 mg / l / 96h fish (OECD TG 203)
EC50 - Crustaceans	> 100 mg / l / 48h daphia magna (OECD TG 202)
EC50 - Algae / Aquatic Plants	> 100 mg / l / 72h algae - Pseudokirchneriella subcapitata (OECD TG 201 Acute and Chronic)
NOEC Chronic Fish	> 100 mg / l / 28 d fish, Juvenile Growth Test (OECD TG 215).

### 12.2. Persistence and degradability

Dibenzoyl peroxide  
Rapidly degradable  
71% in water 28 d (OECD TG 301 D)

### 12.3. Bioaccumulative potential

Dibenzoyl peroxide  
Partition coefficient: n-octanol/water 3,2 Log Kow (OECD TG 117)

### 12.4. Mobility in soil

Dibenzoyl peroxide  
Partition coefficient: soil/water 3,8 (OECD TG 121)

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

### 12.7. Other adverse effects

Information not available

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 11 /14 - Comp. B

Replaced revision: -  
(Revision date: -)



## 13: Disposal considerations

Non-hardened material (such as expired or damaged products and/or rejects): e.g.  
08 04 09\* Glue and sealing materials waste containing organic solvents or other dangerous substances  
Hardened material, e.g.:  
08 04 10 Glue and sealing materials waste or other dangerous substances, other than classified under 08 04 09.  
Contaminated packaging  
Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.  
15 01 10\* Packaging containing residues of or contaminated by dangerous substances

### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.  
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.  
CONTAMINATED PACKAGING  
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## 14: Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1. UN number or ID number

Not applicable

### 14.2. UN proper shipping name

Not applicable

### 14.3. Transport hazard class(es)

Not applicable

### 14.4. Packing group

Not applicable

### 14.5. Environmental hazards

Not applicable

### 14.6. Special precautions for user

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 12 /14 - Comp. B

Replaced revision: -  
(Revision date: -)



## 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 12/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## 16: Other information

**Text of hazard (H) indications mentioned in section 2-3 of the sheet:**

Org. Perox B	Organic peroxide, type B
Eye Irrit. 2	Eye irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1A	Skin sensitization, category 1A
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H241	Heating may cause a fire or explosion.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 13 /14 - Comp. B

Replaced revision: -  
(Revision date: -)



#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

## SAFETY DATA SHEET

According to Annex II to REACH - Regulation (EU) 2020/878  
and to Annex II to UK REACH

### DGE04

**Dual component hybrid resin (styrene free) for heavy duty fixings**

Manufacturer: Tecfi S.p.A. - S.S. Appia, km 193 - 81050 Pastorano (CE), Italy - rdc@tecfi.it

DGE04 - Comp. B

DOC Name/Number:  
MSDS DGE04 - EN

Revision n. 01  
Rev. date: 17/10/2024  
Printed on: 17/10/2024

Page n. 14 /14 - Comp. B

Replaced revision: -  
(Revision date: -)



## GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

## Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

## CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

## Changes to previous review:

The following sections were modified:

09.